

3 年次別にみた全国の死因順位（人口10万対）

| | 第1位 | | 第2位 | | 第3位 | | 第4位 | | 第5位 | |
|-----|-------|-------|-------|-------|-------|-------|--------|------|--------|------|
| | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 |
| 昭28 | 脳血管疾患 | 133.7 | 悪性新生物 | 82.2 | 老 衰 | 77.6 | 肺.気管支炎 | 71.3 | 全 結 核 | 66.5 |
| 29 | 〃 | 132.4 | 〃 | 85.3 | 〃 | 69.5 | 全 結 核 | 62.4 | 心 疾 患 | 60.2 |
| 30 | 〃 | 136.1 | 〃 | 87.1 | 〃 | 67.1 | 心 疾 患 | 60.9 | 全 結 核 | 52.3 |
| 31 | 〃 | 148.4 | 〃 | 90.7 | 〃 | 75.8 | 〃 | 66.0 | 〃 | 48.6 |
| 32 | 〃 | 151.7 | 〃 | 91.3 | 〃 | 80.5 | 〃 | 73.1 | 肺.気管支炎 | 59.2 |
| 33 | 〃 | 148.6 | 〃 | 95.5 | 心 疾 患 | 64.8 | 老 衰 | 55.5 | 〃 | 47.6 |
| 34 | 〃 | 153.7 | 〃 | 98.2 | 〃 | 67.7 | 〃 | 56.7 | 〃 | 45.2 |
| 35 | 〃 | 160.7 | 〃 | 100.4 | 〃 | 73.2 | 〃 | 56.0 | 〃 | 49.3 |
| 36 | 〃 | 165.4 | 〃 | 102.3 | 〃 | 72.1 | 〃 | 58.2 | 不慮の事故 | 44.1 |
| 37 | 〃 | 169.4 | 〃 | 103.2 | 〃 | 76.2 | 〃 | 57.5 | 肺.気管支炎 | 45.0 |
| 38 | 〃 | 171.4 | 〃 | 105.5 | 〃 | 70.4 | 〃 | 50.4 | 不慮の事故 | 41.3 |
| 39 | 〃 | 171.7 | 〃 | 107.3 | 〃 | 70.3 | 〃 | 48.4 | 〃 | 41.6 |
| 40 | 〃 | 175.8 | 〃 | 108.4 | 〃 | 77.0 | 〃 | 50.0 | 〃 | 40.9 |
| 41 | 〃 | 173.8 | 〃 | 110.9 | 〃 | 71.9 | 〃 | 44.6 | 〃 | 43.0 |
| 42 | 〃 | 173.1 | 〃 | 113.0 | 〃 | 75.7 | 〃 | 43.3 | 〃 | 41.9 |
| 43 | 〃 | 173.5 | 〃 | 114.6 | 〃 | 80.2 | 不慮の事故 | 40.2 | 老 衰 | 30.4 |
| 44 | 〃 | 174.4 | 〃 | 116.4 | 〃 | 81.7 | 〃 | 42.2 | 〃 | 37.1 |
| 45 | 〃 | 175.8 | 〃 | 116.3 | 〃 | 86.7 | 〃 | 42.5 | 〃 | 38.1 |
| 46 | 〃 | 169.6 | 〃 | 117.7 | 〃 | 82.0 | 〃 | 40.7 | 〃 | 34.0 |
| 47 | 〃 | 166.7 | 〃 | 120.4 | 〃 | 81.2 | 〃 | 40.1 | 〃 | 30.8 |
| 48 | 〃 | 166.9 | 〃 | 121.2 | 〃 | 87.3 | 〃 | 37.2 | 肺.気管支炎 | 31.3 |
| 49 | 〃 | 163.0 | 〃 | 122.2 | 〃 | 89.8 | 〃 | 33.0 | 〃 | 32.6 |
| 50 | 〃 | 156.7 | 〃 | 122.6 | 〃 | 89.2 | 肺.気管支炎 | 33.7 | 不慮の事故 | 30.3 |
| 51 | 〃 | 154.5 | 〃 | 125.3 | 〃 | 92.2 | 〃 | 32.6 | 〃 | 28.0 |
| 52 | 〃 | 149.8 | 〃 | 128.4 | 〃 | 91.2 | 〃 | 28.6 | 〃 | 26.7 |
| 53 | 〃 | 146.2 | 〃 | 131.3 | 〃 | 93.3 | 〃 | 30.3 | 〃 | 26.2 |
| 54 | 〃 | 137.7 | 〃 | 135.7 | 〃 | 96.9 | 〃 | 28.5 | 老 衰 | 25.5 |
| 55 | 〃 | 139.7 | 〃 | 139.2 | 〃 | 106.3 | 〃 | 33.8 | 〃 | 27.7 |
| 56 | 悪性新生物 | 142.0 | 脳血管疾患 | 134.3 | 〃 | 107.5 | 〃 | 33.7 | 〃 | 25.5 |
| 57 | 〃 | 144.2 | 〃 | 125.0 | 〃 | 106.7 | 〃 | 35.0 | 不慮の事故 | 24.7 |
| 58 | 〃 | 148.3 | 〃 | 122.8 | 〃 | 111.3 | 〃 | 39.3 | 〃 | 25.0 |
| 59 | 〃 | 152.5 | 〃 | 117.2 | 〃 | 113.9 | 〃 | 37.6 | 〃 | 24.6 |
| 60 | 〃 | 155.1 | 心 疾 患 | 116.6 | 脳血管疾患 | 111.5 | 〃 | 42.4 | 〃 | 24.5 |
| 61 | 〃 | 158.5 | 〃 | 117.9 | 〃 | 106.9 | 〃 | 43.9 | 〃 | 23.7 |
| 62 | 〃 | 164.2 | 〃 | 118.4 | 〃 | 101.7 | 〃 | 44.9 | 〃 | 23.2 |
| 63 | 〃 | 168.4 | 〃 | 129.4 | 〃 | 105.5 | 〃 | 51.6 | 〃 | 24.8 |
| 平成 | 〃 | 173.6 | 〃 | 128.1 | 〃 | 98.5 | 〃 | 52.7 | 〃 | 25.4 |
| 2 | 〃 | 177.2 | 〃 | 134.8 | 〃 | 99.4 | 〃 | 60.7 | 〃 | 26.2 |
| 3 | 〃 | 181.7 | 〃 | 137.2 | 〃 | 96.2 | 〃 | 62.0 | 〃 | 26.9 |
| 4 | 〃 | 187.7 | 〃 | 142.0 | 〃 | 95.5 | 〃 | 65.0 | 〃 | 27.9 |
| 5 | 〃 | 190.4 | 〃 | 145.6 | 〃 | 96.0 | 〃 | 70.6 | 〃 | 28.0 |
| 6 | 〃 | 196.4 | 〃 | 128.6 | 〃 | 96.9 | 〃 | 72.4 | 〃 | 29.1 |
| 7 | 〃 | 211.6 | 脳血管疾患 | 117.9 | 心 疾 患 | 112.0 | 肺 炎 | 64.1 | 〃 | 36.5 |
| 8 | 〃 | 217.5 | 〃 | 112.6 | 〃 | 110.8 | 〃 | 56.9 | 〃 | 31.4 |
| 9 | 〃 | 220.4 | 心 疾 患 | 112.2 | 脳血管疾患 | 111.0 | 〃 | 63.1 | 〃 | 31.1 |
| 10 | 〃 | 226.7 | 〃 | 114.3 | 〃 | 110.0 | 〃 | 63.8 | 〃 | 31.1 |
| 11 | 〃 | 231.6 | 〃 | 120.4 | 〃 | 110.8 | 〃 | 74.9 | 〃 | 32.0 |
| 12 | 〃 | 235.2 | 〃 | 116.8 | 〃 | 105.5 | 〃 | 69.2 | 〃 | 31.4 |
| 13 | 〃 | 238.8 | 〃 | 117.8 | 〃 | 104.7 | 〃 | 67.8 | 〃 | 31.4 |
| 14 | 〃 | 241.7 | 〃 | 121.0 | 〃 | 103.4 | 〃 | 69.4 | 〃 | 30.7 |
| 15 | 〃 | 245.4 | 〃 | 126.5 | 〃 | 104.7 | 〃 | 75.3 | 〃 | 30.7 |
| 16 | 〃 | 253.9 | 〃 | 126.5 | 〃 | 102.3 | 〃 | 75.7 | 〃 | 30.3 |
| 17 | 〃 | 258.3 | 〃 | 137.2 | 〃 | 105.3 | 〃 | 85.0 | 〃 | 31.6 |
| 18 | 〃 | 261.0 | 〃 | 137.2 | 〃 | 101.7 | 〃 | 85.0 | 〃 | 30.3 |
| 19 | 〃 | 266.9 | 〃 | 139.2 | 〃 | 100.8 | 〃 | 87.4 | 〃 | 30.1 |
| 20 | 〃 | 272.3 | 〃 | 144.4 | 〃 | 100.9 | 〃 | 91.6 | 〃 | 30.3 |
| 21 | 〃 | 273.5 | 〃 | 143.7 | 〃 | 97.2 | 〃 | 89.0 | 不慮の事故 | 30.7 |
| 22 | 〃 | 279.7 | 〃 | 149.8 | 〃 | 97.7 | 〃 | 94.1 | 〃 | 35.9 |
| 23 | 〃 | 283.2 | 〃 | 154.5 | 肺 炎 | 98.9 | 脳血管疾患 | 98.2 | 不慮の事故 | 47.1 |
| 24 | 〃 | 286.6 | 〃 | 157.9 | 〃 | 98.4 | 〃 | 96.5 | 老 衰 | 48.2 |
| 25 | 〃 | 290.3 | 〃 | 156.5 | 〃 | 97.8 | 〃 | 94.1 | 〃 | 55.5 |
| 26 | 〃 | 293.5 | 〃 | 157.0 | 〃 | 95.4 | 〃 | 91.1 | 〃 | 60.1 |
| 27 | 〃 | 295.5 | 〃 | 156.5 | 〃 | 96.5 | 〃 | 89.4 | 〃 | 67.7 |
| 28 | 〃 | 298.3 | 〃 | 158.4 | 〃 | 95.4 | 〃 | 87.4 | 〃 | 74.2 |
| 29 | 〃 | 299.5 | 〃 | 164.3 | 脳血管疾患 | 88.2 | 老 衰 | 81.3 | 肺 炎 | 77.7 |

| | 第6位 | | 第7位 | | 第8位 | | 第9位 | | 第10位 | |
|-----|--------|------|--------|------|----------|------|----------|------|----------|------|
| | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 |
| 昭28 | 心 疾 患 | 64.9 | 胃 腸 炎 | 46.1 | 新生児固有疾患 | 42.1 | 不慮の事故 | 39.3 | 腎.ネフローゼ* | 23.2 |
| 29 | 肺.気管支炎 | 54.7 | 不慮の事故 | 39.4 | 胃 腸 炎 | 39.0 | 新生児固有疾患 | 36.2 | 自 殺 | 23.4 |
| 30 | ” | 48.3 | ” | 37.3 | ” | 31.7 | ” | 31.4 | ” | 25.2 |
| 31 | ” | 48.4 | ” | 36.8 | 新生児固有疾患 | 30.5 | 胃 腸 炎 | 30.0 | ” | 24.5 |
| 32 | 全 結 核 | 46.9 | ” | 37.9 | ” | 26.4 | ” | 25.7 | ” | 24.3 |
| 33 | ” | 39.4 | ” | 38.9 | 自 殺 | 25.7 | ” | 25.1 | 新生児固有疾患 | 23.4 |
| 34 | 不慮の事故 | 44.8 | 全 結 核 | 35.5 | 胃 腸 炎 | 23.3 | 自 殺 | 22.7 | ” | 21.0 |
| 35 | ” | 41.7 | ” | 34.2 | 自 殺 | 21.6 | 胃 腸 炎 | 21.2 | ” | 18.5 |
| 36 | 肺.気管支炎 | 41.6 | ” | 29.6 | ” | 19.6 | ” | 19.5 | ” | 17.4 |
| 37 | 不慮の事故 | 40.3 | ” | 29.3 | 高血圧性疾患 | 18.4 | ” | 18.0 | 自 殺 | 17.6 |
| 38 | 肺.気管支炎 | 33.2 | ” | 24.2 | ” | 18.2 | 自 殺 | 16.1 | 胃 腸 炎 | 16.1 |
| 39 | ” | 32.1 | ” | 23.6 | ” | 18.7 | ” | 15.1 | ” | 14.6 |
| 40 | ” | 37.3 | ” | 22.8 | ” | 19.3 | ” | 14.7 | ” | 12.9 |
| 41 | ” | 28.2 | ” | 20.3 | ” | 18.6 | ” | 15.2 | ” | 11.3 |
| 42 | ” | 28.7 | 高血圧性疾患 | 18.3 | 全 結 核 | 17.8 | ” | 14.2 | 新生児固有疾患 | 11.4 |
| 43 | ” | 31.8 | ” | 17.9 | ” | 16.8 | ” | 14.5 | 肝 硬 変 | 11.2 |
| 44 | ” | 31.6 | ” | 17.0 | ” | 16.1 | ” | 14.5 | ” | 11.8 |
| 45 | ” | 34.1 | ” | 17.7 | ” | 15.4 | ” | 15.3 | ” | 12.5 |
| 46 | ” | 28.4 | ” | 16.7 | 自 殺 | 15.6 | 全 結 核 | 13.0 | ” | 12.5 |
| 47 | ” | 28.1 | 自 殺 | 17.0 | 高血圧性疾患 | 16.5 | 肝 硬 変 | 12.8 | 全 結 核 | 11.9 |
| 48 | 老 衰 | 30.9 | 高血圧性疾患 | 17.5 | 自 殺 | 17.5 | ” | 13.2 | ” | 11.1 |
| 49 | ” | 29.7 | ” | 18.4 | ” | 17.5 | ” | 13.4 | ” | 10.4 |
| 50 | ” | 26.9 | 自 殺 | 18.0 | 高血圧性疾患 | 17.8 | ” | 13.6 | ” | 9.5 |
| 51 | ” | 26.4 | ” | 17.6 | ” | 17.6 | ” | 13.8 | ” | 8.5 |
| 52 | ” | 25.0 | ” | 17.9 | ” | 17.0 | ” | 13.6 | 糖 尿 病 | 8.4 |
| 53 | ” | 24.4 | ” | 17.6 | ” | 16.4 | ” | 14.0 | ” | 8.5 |
| 54 | 不慮の事故 | 25.3 | ” | 18.0 | 肝 硬 変 | 14.2 | 高血圧性疾患 | 14.0 | 腎.ネフローゼ* | 8.0 |
| 55 | ” | 25.1 | ” | 17.7 | ” | 14.2 | ” | 13.7 | ” | 8.8 |
| 56 | ” | 24.8 | ” | 17.1 | ” | 14.2 | ” | 13.0 | ” | 9.1 |
| 57 | 老 衰 | 23.3 | ” | 17.5 | ” | 14.0 | ” | 11.7 | ” | 9.7 |
| 58 | ” | 24.7 | ” | 21.0 | ” | 14.1 | ” | 11.3 | ” | 10.3 |
| 59 | ” | 24.1 | ” | 20.4 | ” | 14.2 | ” | 10.9 | ” | 10.6 |
| 60 | ” | 23.0 | ” | 19.3 | ” | 14.2 | 腎.ネフローゼ* | 11.2 | 高血圧性疾患 | 10.5 |
| 61 | ” | 22.2 | ” | 21.2 | ” | 14.0 | ” | 11.6 | ” | 9.7 |
| 62 | ” | 20.8 | ” | 19.6 | ” | 13.7 | ” | 11.8 | ” | 8.8 |
| 63 | ” | 21.6 | ” | 18.7 | ” | 13.9 | ” | 13.0 | ” | 8.4 |
| 平成 | ” | 19.4 | ” | 17.3 | ” | 13.6 | ” | 13.4 | ” | 7.6 |
| 2 | ” | 19.7 | ” | 16.4 | 腎.ネフローゼ* | 14.0 | 肝 硬 変 | 13.7 | 糖 尿 病 | 7.7 |
| 3 | ” | 18.8 | ” | 16.1 | ” | 13.8 | ” | 13.7 | ” | 7.8 |
| 4 | ” | 18.9 | ” | 16.7 | ” | 14.8 | ” | 13.8 | ” | 7.9 |
| 5 | ” | 18.7 | ” | 16.6 | ” | 14.9 | ” | 13.6 | ” | 8.3 |
| 6 | ” | 18.9 | ” | 16.9 | ” | 15.1 | ” | 13.3 | ” | 8.8 |
| 7 | ” | 17.3 | ” | 17.2 | 肝 疾 患 | 13.7 | 腎 不 全 | 13.0 | ” | 11.4 |
| 8 | 自 殺 | 17.8 | 老 衰 | 16.7 | ” | 13.2 | ” | 13.0 | ” | 10.3 |
| 9 | ” | 18.8 | ” | 17.2 | 腎 不 全 | 13.3 | 肝 疾 患 | 13.2 | ” | 9.9 |
| 10 | ” | 25.4 | ” | 17.1 | ” | 13.3 | ” | 12.9 | ” | 10.0 |
| 11 | ” | 25.0 | ” | 18.2 | ” | 14.1 | ” | 13.2 | 慢性閉塞性肺疾患 | 10.4 |
| 12 | ” | 24.1 | ” | 16.9 | ” | 13.7 | ” | 12.8 | ” | 10.2 |
| 13 | ” | 23.3 | ” | 17.6 | ” | 14.0 | ” | 12.6 | ” | 10.4 |
| 14 | ” | 23.8 | ” | 18.0 | ” | 14.4 | ” | 12.3 | ” | 10.3 |
| 15 | ” | 25.5 | ” | 18.6 | ” | 14.9 | ” | 12.5 | ” | 10.8 |
| 16 | ” | 24.0 | ” | 19.1 | ” | 15.2 | ” | 12.6 | ” | 10.7 |
| 17 | ” | 24.2 | ” | 20.9 | ” | 16.3 | ” | 13.0 | ” | 11.4 |
| 18 | ” | 23.7 | ” | 22.0 | ” | 16.8 | ” | 12.9 | ” | 11.4 |
| 19 | ” | 24.4 | ” | 24.4 | ” | 17.2 | ” | 12.8 | ” | 11.8 |
| 20 | 老 衰 | 28.6 | 自 殺 | 24.0 | ” | 17.9 | ” | 12.9 | ” | 12.3 |
| 21 | 不慮の事故 | 30.0 | ” | 24.4 | ” | 18.1 | ” | 12.7 | ” | 12.2 |
| 22 | ” | 32.2 | ” | 23.4 | ” | 18.8 | 慢性閉塞性肺疾患 | 12.9 | 肝 疾 患 | 12.8 |
| 23 | 老 衰 | 41.4 | ” | 22.9 | ” | 19.4 | ” | 13.2 | ” | 13.0 |
| 24 | 不慮の事故 | 32.6 | ” | 21.0 | 腎 不 全 | 19.9 | ” | 13.0 | ” | 12.7 |
| 25 | ” | 31.5 | ” | 20.7 | ” | 20.0 | ” | 13.1 | 大動脈瘤及び解離 | 12.8 |
| 26 | ” | 31.1 | 腎 不 全 | 19.8 | 自 殺 | 19.5 | 大動脈瘤及び解離 | 13.1 | 慢性閉塞性肺疾患 | 12.9 |
| 27 | ” | 30.6 | ” | 19.6 | ” | 18.5 | ” | 13.5 | ” | 12.6 |
| 28 | ” | 30.6 | ” | 19.7 | ” | 16.8 | ” | 14.5 | 肝 疾 患 | 12.6 |
| 29 | ” | 32.4 | 誤嚥性肺炎 | 28.7 | 腎 不 全 | 20.2 | 自 殺 | 16.4 | 血管性等の認知症 | 15.7 |

4 年次別にみた長崎県の死因順位（人口10万対）

| | 第1位 | | 第2位 | | 第3位 | | 第4位 | | 第5位 | |
|-----|-------|-------|-------|-------|--------|-------|--------|-------|--------|------|
| | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 |
| 昭28 | 脳血管疾患 | 111.1 | 老 衰 | 91.9 | 肺.気管支炎 | 89.2 | 全 結 核 | 84.7 | 悪性新生物 | 76.2 |
| 29 | " | 106.0 | " | 88.9 | 全 結 核 | 88.3 | 悪性新生物 | 76.0 | 肺.気管支炎 | 71.0 |
| 30 | " | 112.8 | " | 78.2 | 悪性新生物 | 75.4 | 全 結 核 | 71.9 | 心 疾 患 | 56.7 |
| 31 | " | 122.7 | " | 92.3 | " | 82.0 | " | 70.5 | 肺.気管支炎 | 65.5 |
| 32 | " | 124.3 | " | 94.4 | " | 82.9 | 不慮の事故 | 78.7 | " | 76.0 |
| 33 | " | 126.9 | 悪性新生物 | 83.5 | 老 衰 | 66.4 | 心 疾 患 | 64.2 | 全 結 核 | 59.5 |
| 34 | " | 131.9 | " | 87.8 | 心 疾 患 | 68.8 | 老 衰 | 65.6 | 肺.気管支炎 | 53.2 |
| 35 | " | 143.2 | " | 93.4 | " | 70.8 | " | 66.7 | " | 62.9 |
| 36 | " | 151.6 | " | 100.1 | " | 69.7 | " | 65.3 | " | 54.3 |
| 37 | " | 159.8 | " | 102.8 | " | 78.2 | " | 72.5 | " | 61.5 |
| 38 | " | 169.2 | " | 108.3 | " | 76.6 | " | 64.9 | " | 47.1 |
| 39 | " | 182.7 | " | 106.2 | " | 69.0 | " | 57.0 | " | 42.2 |
| 40 | " | 185.6 | " | 113.6 | " | 73.7 | " | 62.2 | " | 48.7 |
| 41 | " | 185.6 | " | 123.1 | " | 77.3 | " | 60.9 | 不慮の事故 | 38.2 |
| 42 | " | 192.7 | " | 123.3 | " | 79.8 | " | 62.0 | " | 45.5 |
| 43 | " | 193.1 | " | 124.5 | " | 89.4 | " | 51.9 | 肺.気管支炎 | 45.2 |
| 44 | " | 194.9 | " | 127.9 | " | 94.2 | " | 49.3 | 不慮の事故 | 42.2 |
| 45 | " | 200.9 | " | 135.1 | " | 103.7 | " | 46.4 | 肺.気管支炎 | 44.5 |
| 46 | " | 183.5 | " | 133.2 | " | 93.4 | " | 38.0 | 不慮の事故 | 37.7 |
| 47 | " | 191.4 | " | 142.7 | " | 92.3 | 不慮の事故 | 43.0 | 肺.気管支炎 | 38.4 |
| 48 | " | 187.9 | " | 146.6 | " | 97.1 | 肺.気管支炎 | 38.7 | 不慮の事故 | 38.6 |
| 49 | " | 184.5 | " | 145.3 | " | 100.8 | " | 45.9 | " | 36.2 |
| 50 | " | 178.9 | " | 147.8 | " | 99.8 | " | 43.0 | 高血圧性疾患 | 34.0 |
| 51 | " | 177.5 | " | 146.1 | " | 109.4 | " | 44.9 | " | 36.8 |
| 52 | " | 166.3 | " | 151.6 | " | 109.9 | " | 38.9 | " | 34.8 |
| 53 | " | 162.3 | " | 152.3 | " | 108.8 | " | 41.0 | " | 31.7 |
| 54 | 悪性新生物 | 168.4 | 脳血管疾患 | 155.5 | " | 120.1 | " | 40.1 | " | 31.0 |
| 55 | " | 165.2 | " | 159.3 | " | 124.6 | " | 49.4 | " | 27.5 |
| 56 | " | 179.1 | " | 151.0 | " | 137.0 | " | 46.4 | 不慮の事故 | 28.4 |
| 57 | " | 181.7 | " | 142.4 | " | 129.3 | " | 48.1 | " | 44.6 |
| 58 | " | 186.1 | " | 135.6 | " | 129.5 | " | 48.7 | " | 30.3 |
| 59 | " | 191.3 | 心 疾 患 | 134.7 | 脳血管疾患 | 128.3 | " | 50.3 | 高血圧性疾患 | 24.6 |
| 60 | " | 200.8 | " | 132.8 | " | 127.5 | " | 60.2 | 不慮の事故 | 26.0 |
| 61 | " | 196.7 | " | 135.1 | " | 116.4 | " | 57.3 | " | 24.4 |
| 62 | " | 206.0 | " | 130.9 | " | 109.3 | " | 59.2 | " | 22.4 |
| 63 | " | 206.6 | " | 142.2 | " | 114.5 | " | 67.8 | " | 23.9 |
| 平元 | " | 218.3 | " | 151.2 | " | 107.8 | " | 72.4 | " | 24.7 |
| 2 | " | 225.1 | " | 152.5 | " | 110.4 | " | 79.9 | " | 27.7 |
| 3 | " | 223.7 | " | 158.8 | " | 108.7 | " | 88.1 | " | 31.7 |
| 4 | " | 239.0 | " | 158.1 | " | 100.2 | " | 86.6 | " | 29.5 |
| 5 | " | 229.4 | " | 165.2 | " | 112.8 | " | 103.6 | " | 31.1 |
| 6 | " | 239.2 | " | 147.6 | " | 109.1 | " | 91.6 | " | 32.0 |
| 7 | " | 261.4 | " | 128.2 | " | 126.3 | 肺 炎 | 89.6 | " | 32.9 |
| 8 | " | 264.9 | " | 124.5 | " | 117.5 | " | 72.7 | " | 33.1 |
| 9 | " | 263.3 | " | 123.6 | " | 117.6 | " | 80.0 | " | 31.2 |
| 10 | " | 266.1 | " | 127.3 | " | 122.7 | " | 81.7 | " | 33.6 |
| 11 | " | 274.1 | " | 141.4 | " | 119.1 | " | 89.0 | " | 33.0 |
| 12 | " | 279.1 | " | 129.8 | " | 122.3 | " | 86.3 | " | 34.2 |
| 13 | " | 284.0 | " | 128.2 | " | 117.2 | " | 83.8 | " | 33.1 |
| 14 | " | 283.9 | " | 139.5 | " | 119.3 | " | 92.3 | " | 32.4 |
| 15 | " | 290.9 | " | 146.0 | " | 114.6 | " | 97.4 | " | 32.8 |
| 16 | " | 303.3 | " | 143.5 | " | 119.7 | " | 94.7 | " | 31.0 |
| 17 | " | 314.1 | " | 163.2 | " | 116.4 | " | 109.6 | " | 34.5 |
| 18 | " | 305.1 | " | 161.1 | " | 119.4 | " | 111.2 | " | 34.7 |
| 19 | " | 318.7 | " | 164.7 | 肺 炎 | 121.8 | 脳血管疾患 | 118.3 | " | 32.8 |
| 20 | " | 331.0 | " | 167.9 | " | 123.5 | " | 118.0 | " | 36.1 |
| 21 | " | 328.1 | " | 168.6 | " | 120.5 | " | 111.0 | " | 41.0 |
| 22 | " | 331.4 | " | 181.0 | " | 126.7 | " | 110.3 | 老 衰 | 40.7 |
| 23 | " | 337.6 | " | 187.6 | " | 141.5 | " | 106.2 | " | 43.5 |
| 24 | " | 337.0 | " | 183.3 | " | 132.5 | " | 108.8 | " | 52.4 |
| 25 | " | 354.1 | " | 192.9 | " | 128.3 | " | 106.3 | " | 60.5 |
| 26 | " | 357.1 | " | 185.7 | " | 131.1 | " | 99.9 | " | 62.5 |
| 27 | " | 351.1 | " | 189.8 | " | 122.5 | " | 98.7 | " | 69.2 |
| 28 | " | 350.4 | " | 189.2 | " | 122.9 | " | 99.4 | " | 73.5 |
| 29 | " | 350.2 | " | 200.9 | " | 112.8 | " | 99.0 | " | 74.4 |

4 年次別にみた長崎県の死因順位（人口10万対）

| | 第6位 | | 第7位 | | 第8位 | | 第9位 | | 第10位 | |
|-----|-----------|------|---------|------|-----------|------|-----------|------|-----------|------|
| | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 | 死 因 | 死亡率 |
| 昭28 | 心 疾 患 | 60.5 | 胃 腸 炎 | 50.0 | 他新生児疾患 | 48.2 | 不慮の事故 | 44.8 | 腎炎,ネフローゼ* | 24.4 |
| 29 | " | 58.4 | 他新生児疾患 | 42.6 | 胃 腸 炎 | 40.7 | " | 39.7 | " | 24.0 |
| 30 | 肺.気管支炎 | 55.5 | 不慮の事故 | 45.8 | 他新生児疾患 | 35.2 | 胃 腸 炎 | 34.3 | " | 22.6 |
| 31 | 心 疾 患 | 59.5 | " | 48.4 | " | 35.6 | " | 34.1 | 自 殺 | 21.8 |
| 32 | 全 結 核 | 67.4 | 心 疾 患 | 66.8 | " | 32.2 | " | 28.7 | 腎炎,ネフローゼ* | 23.7 |
| 33 | 肺.気管支炎 | 58.3 | 不慮の事故 | 41.4 | 胃 腸 炎 | 31.8 | 他新生児疾患 | 30.2 | " | 22.5 |
| 34 | 全 結 核 | 49.2 | " | 44.6 | 他新生児疾患 | 27.5 | 胃 腸 炎 | 24.9 | " | 21.3 |
| 35 | " | 49.4 | " | 41.4 | 胃 腸 炎 | 26.8 | 他新生児疾患 | 26.4 | " | 19.2 |
| 36 | 不慮の事故 | 43.2 | 全 結 核 | 42.0 | 他新生児疾患 | 23.8 | 胃 腸 炎 | 21.0 | 高 血 圧 症 | 18.4 |
| 37 | 全 結 核 | 43.2 | 不慮の事故 | 41.6 | 胃 腸 炎 | 23.4 | 高 血 圧 症 | 21.9 | 他新生児疾患 | 21.6 |
| 38 | 不慮の事故 | 42.8 | 全 結 核 | 36.5 | 高 血 圧 症 | 23.5 | 胃 腸 炎 | 22.7 | " | 22.0 |
| 39 | " | 40.8 | " | 33.2 | " | 25.2 | " | 21.4 | " | 17.0 |
| 40 | " | 40.3 | " | 35.7 | " | 25.8 | " | 17.3 | 腎炎,ネフローゼ* | 17.0 |
| 41 | 肺.気管支炎 | 35.5 | " | 29.5 | " | 24.8 | 肝 硬 変 | 15.6 | 自 殺 | 14.6 |
| 42 | " | 36.5 | 高血圧性疾患 | 27.1 | 全 結 核 | 24.9 | 他新生児疾患 | 17.0 | 肝 硬 変 | 16.6 |
| 43 | 不慮の事故 | 39.4 | 全 結 核 | 27.8 | 高血圧性疾患 | 27.4 | 肝 硬 変 | 19.8 | 胃 腸 炎 | 13.9 |
| 44 | 肺.気管支炎 | 36.4 | 高血圧性疾患 | 25.3 | 全 結 核 | 21.7 | " | 18.7 | 自 殺 | 13.9 |
| 45 | 不慮の事故 | 42.5 | " | 31.5 | " | 22.9 | " | 20.2 | " | 15.6 |
| 46 | 肺.気管支炎 | 35.7 | " | 29.0 | " | 19.3 | " | 17.7 | " | 15.4 |
| 47 | 老 衰 | 34.3 | " | 29.3 | 肝 硬 変 | 19.7 | 全 結 核 | 18.4 | " | 16.0 |
| 48 | 高血圧性疾患 | 33.5 | 老 衰 | 32.7 | " | 19.6 | " | 17.4 | " | 17.0 |
| 49 | " | 35.7 | " | 31.0 | " | 21.2 | 自 殺 | 18.4 | 全 結 核 | 16.7 |
| 50 | 不慮の事故 | 30.7 | " | 27.6 | " | 18.9 | " | 17.6 | " | 14.8 |
| 51 | " | 30.6 | " | 28.1 | " | 18.6 | " | 17.0 | " | 11.8 |
| 52 | " | 34.3 | " | 27.1 | 自 殺 | 20.4 | 肝 硬 変 | 18.5 | " | 11.2 |
| 53 | " | 30.2 | " | 24.0 | 肝 硬 変 | 19.2 | 自 殺 | 17.6 | " | 10.2 |
| 54 | " | 29.2 | " | 22.5 | " | 19.8 | " | 17.8 | 腎炎,ネフローゼ* | 10.5 |
| 55 | " | 26.5 | " | 25.9 | 自 殺 | 18.4 | 肝 硬 変 | 16.8 | " | 12.3 |
| 56 | 高血圧性疾患 | 27.5 | " | 24.7 | 肝 硬 変 | 19.6 | 自 殺 | 17.1 | " | 10.9 |
| 57 | " | 25.0 | " | 20.6 | " | 18.6 | " | 16.6 | " | 11.5 |
| 58 | " | 22.5 | 自 殺 | 19.5 | 老 衰 | 18.1 | 肝 硬 変 | 15.3 | " | 14.4 |
| 59 | 不慮の事故 | 22.9 | " | 20.3 | " | 18.6 | 腎炎,ネフローゼ* | 16.7 | 肝 硬 変 | 16.6 |
| 60 | 高血圧性疾患 | 21.6 | " | 21.6 | " | 16.9 | 肝 硬 変 | 16.6 | 腎炎,ネフローゼ* | 15.4 |
| 61 | 自 殺 | 22.4 | 高血圧性疾患 | 19.9 | 肝 硬 変 | 16.9 | 腎炎,ネフローゼ* | 16.6 | 老 衰 | 16.1 |
| 62 | " | 19.7 | " | 17.0 | " | 16.0 | " | 15.8 | " | 14.5 |
| 63 | " | 20.9 | " | 17.9 | 腎炎,ネフローゼ* | 17.2 | 肝 硬 変 | 15.9 | " | 11.8 |
| 平元 | 腎炎,ネフローゼ* | 18.6 | 自 殺 | 17.6 | 肝 硬 変 | 16.5 | 高血圧性疾患 | 16.3 | " | 13.6 |
| 2 | " | 19.8 | " | 17.1 | " | 16.1 | " | 16.1 | " | 14.1 |
| 3 | " | 18.4 | " | 17.7 | 高血圧性疾患 | 17.1 | 肝 硬 変 | 15.0 | " | 10.8 |
| 4 | " | 20.6 | " | 16.6 | 肝 硬 変 | 16.0 | 高血圧性疾患 | 14.8 | " | 14.0 |
| 5 | " | 20.9 | " | 17.0 | 肝 硬 変 | 17.0 | 老 衰 | 15.1 | 高血圧性疾患 | 14.1 |
| 6 | " | 18.3 | 老 衰 | 16.0 | " | 15.9 | 自 殺 | 14.7 | " | 12.3 |
| 7 | 腎 不 全 | 19.9 | 自 殺 | 16.8 | " | 15.9 | 老 衰 | 13.4 | 糖 尿 病 | 10.8 |
| 8 | 自 殺 | 17.9 | 腎 不 全 | 16.7 | 老 衰 | 15.1 | 肝 疾 患 | 14.8 | 高血圧性疾患 | 9.4 |
| 9 | " | 18.5 | " | 18.5 | 肝 疾 患 | 14.2 | 老 衰 | 13.4 | " | 11.0 |
| 10 | " | 24.8 | " | 16.8 | 慢性閉塞性肺疾患 | 15.1 | " | 13.9 | 肝 疾 患 | 13.2 |
| 11 | " | 24.2 | " | 16.8 | 老 衰 | 16.6 | 慢性閉塞性肺疾患 | 15.4 | " | 13.6 |
| 12 | " | 24.6 | 老 衰 | 17.5 | 腎 不 全 | 16.4 | " | 15.1 | " | 13.3 |
| 13 | " | 22.6 | 腎 不 全 | 16.5 | 老 衰 | 15.6 | " | 13.2 | " | 12.2 |
| 14 | " | 24.5 | " | 16.8 | " | 16.0 | 肝 疾 患 | 14.5 | 慢性閉塞性肺疾患 | 14.1 |
| 15 | " | 30.0 | " | 20.3 | " | 16.4 | 大動脈瘤及び解離 | 15.7 | 肝 疾 患 | 13.6 |
| 16 | " | 25.7 | " | 17.3 | " | 15.9 | " | 12.3 | " | 12.0 |
| 17 | " | 29.3 | " | 19.8 | " | 16.1 | " | 12.7 | " | 12.3 |
| 18 | " | 27.0 | 老 衰 | 20.9 | 腎 不 全 | 20.9 | " | 15.9 | " | 13.6 |
| 19 | " | 25.3 | " | 20.4 | " | 20.2 | " | 15.4 | 大動脈瘤及び解離 | 14.9 |
| 20 | 老 衰 | 26.9 | 自 殺 | 25.9 | " | 21.5 | " | 15.4 | " | 15.2 |
| 21 | " | 32.4 | 自 殺・腎不全 | 23.1 | — | — | " | 17.3 | " | 16.2 |
| 22 | 不慮の事故 | 37.6 | " | 25.9 | 腎 不 全 | 23.7 | " | 15.4 | 慢性閉塞性肺疾患 | 15.1 |
| 23 | " | 36.3 | 腎 不 全 | 24.2 | 自 殺 | 22.7 | " | 15.6 | " | 15.5 |
| 24 | " | 43.2 | " | 27.6 | 慢性閉塞性肺疾患 | 18.5 | 自 殺 | 17.7 | 大動脈瘤及び解離 | 15.1 |
| 25 | " | 42.2 | " | 23.7 | 自 殺 | 20.1 | 大動脈瘤及び解離 | 16.5 | 慢性閉塞性肺疾患 | 16.2 |
| 26 | " | 41.1 | " | 25.6 | " | 19.4 | 慢性閉塞性肺疾患 | 18.9 | 大動脈瘤及び解離 | 18.3 |
| 27 | " | 39.4 | " | 26.1 | " | 16.9 | " | 16.4 | " | 14.8 |
| 28 | " | 40.1 | " | 25.8 | 大動脈瘤及び解離 | 18.9 | 自 殺 | 14.9 | 肝 疾 患 | 13.4 |
| 29 | " | 44.1 | 誤嚥性肺炎 | 41.8 | 腎 不 全 | 29.7 | 大動脈瘤及び解離 | 19.6 | 血管性等の認知症 | 18.5 |