

Figure 1 consists of a map of the Seto Inland Sea region in Japan, showing sampling locations and water quality data. The map includes labels for various locations such as Hiroshima (広島), Miyajima (宮島), and the Seto Inland Sea (瀬戸内海). A scale bar indicates 0, 2.5, and 5 km. An inset map shows the location of the study area within Japan.

The water quality data is presented in a table with the following columns: 観測点 (Observation Point), 観測時刻 (Observation Time), 水深 (Water Depth), 水温 (°C) (Water Temperature), Do (mg/L), 有害種 (細胞/mL) (Harmful Species (cells/mL)), and 備考 (Remarks). The data is organized by observation point and time.

観測点	観測時刻	水深	水温 (°C)	Do (mg/L)	有害種 (細胞/mL)						備考
					カネヒラキモイ	ヘチロシグマアサシオ	イソギキョウ	コナシ	ディニウム	ディニウム類	
① 黒島西	7:15	0.5	27.0	—	0	0	0	0	0	—	
		3.0	—	—	0	0	0	0	0	—	
		7.0	—	—	0	0	0	0	0	—	
② 黒島東		0.5	—	—							
		3.0	—	—							
		7.0	—	—							
③ 高島		0.5	—	—							
		3.0	—	—							
		7.0	—	—							
④ 浅子	5:53	0.5	28.1	—	0	0	0	0	0	—	
		3.0	27.8	—	0	0	0	0	0	—	
		7.0	26.9	—	56	0	0	0	0	—	
⑤ 大湊	7:50	0.5	28.0	—	0	0	0	0	0	50	
		3.0	28.0	—	2	0	0	0	0	50	
		7.0	28.0	—	2	0	0	0	0	69	
⑥ 大崎	12:50	0.5	—	—	73	0	0	0	0	—	
		3.0	—	—	14	0	0	0	0	—	
		5.0	—	—	34	0	0	0	0	—	
⑦ 金重島	9:10	0.5	28.6	—	1	0	0	0	0	—	
		3.0	28.6	—	1	0	0	0	0	—	
		7.0	26.0	—	0	0	0	0	0	—	
⑧ 鹿子前	8:45	0.5	29.3	—	0	0	0	0	0	366	
		3.0	26.4	—	0	0	0	0	0	89	
		7.0	25.6	—	59	0	0	0	0	20	
⑨ 牧島	9:00	0.5	29.4	—	0	0	0	0	0	—	
		3.0	27.1	—	0	0	0	0	0	—	
		7.0	25.7	—	123	0	0	0	0	—	
⑩ 松浦島	10:00	0.5	29.2	—	6	0	0	0	1	—	
		3.0	—	—	4	0	0	0	0	—	
		7.0	—	—	597	0	0	0	0	—	
⑪ 船越	10:00	0.5	29.2	—	2	0	0	0	0	452	
		3.0	—	—	208	0	0	0	0	0	
		7.0	—	—	2,500	0	0	0	0	0	
⑫ 白馬	8:00	0.5	29.0	—	4	0	0	0	0	29	
		3.0	27.0	—	700	0	0	0	0	0	
		7.0	27.0	—	405	0	0	0	0	4	
⑬ 猿ヶ浦	8:00	0.5	26.0	—	133	0	0	0	0	60	
		3.0	26.0	—	0	0	0	0	0	60	
		7.0	26	—	0	0	0	0	0	10	

備考 調査者: 県北水産業普及指導センター、佐世保市水産センター